


Name _____



Watertown Public Schools

Geometry Summer Packet



This packet contains topics that you are expected to know prior to entering Geometry. You have learned these skills over the past few years. These examples focus on both mathematical skills and problem solving. This packet should be completed independently. Upon your completion, your parent/guardian needs to sign the packet.

If you are having a difficult time adding, subtracting, and multiplying numbers, we suggest you study this over the summer. For example, flashcards can be used to help you with basic facts. Also, you can do a Google search for more practice problems.

This packet will help prepare you for the first assessment which will be about a week into the school year. *The packet is expected to be completed for the first day of class.*

Below are helpful links to help you remember some topics.

- **Khan Academy** Take control of your learning by working on the skills you choose at your own pace. ... Math, science, computer programming, history, art, economics, and more.
- **Purplemath** contains lessons with explanations on everything from absolute value and negative numbers to intercepts, variables, and factoring. In addition, this site includes a forum that allows students to ask questions and receive answers, as well as a list of homework tips and guidelines.

If you have any questions regarding this packet, please email your Geometry teacher listed on your schedule.

*****IF you have Mrs. Nass or Mrs. Leonetti please bring a composition notebook with you to class*****



Please show your work in the packet.

Parent/Guardian Signature: _____ Date _____

Read each question carefully. Be sure to answer each question in your own words. You may include examples to support your answers.

1.) Simplify the following expressions:

a. $\frac{5(16-5)-1}{4^2-7}$

b. $2^3 + 6(3) - \frac{35}{5}$

c. $24 - 9 \cdot 2 + 6 \div 3$

2.) Solve the following equations:

a. $2c + 7 = 97 - 8c$

b. $10 = \frac{y}{3} + 6$

c. $3(8 + n) - 15 = 24$

3.) In the equation: $y = mx + b$:

a. What does m stand for?


b. What does b stand for?

c. What are the “real world” meanings of m and b?

4.) Create a Real World Situation that can be modeled by $y = 10x + 500$. Then state what the equation would be, explain your variables, solve the equation and explain the meaning of your answer.


5.) Draw and label a coordinate plane completely. Include the following:

- x and y axis
- the origin
- the 4 Quadrants
- Points A(-2,4) B(0,3) C(1,0)




6.) Graph the following equations:


a. $y = \frac{1}{3}x - 4$




b. $6x + 2y = 4$



c. $y = -2x + 4$



d. $3x + 6y = 18$



7.) Solve the following system of equations. Solve each a different way:

a.) $\begin{cases} 2x + 3y = 38 \\ 4x + y = 16 \end{cases}$

b.) $\begin{cases} 5x + 5y = 10 \\ x + 4y = 3 \end{cases}$

8.) What is a ratio?

9.) What is a proportion?

10.) Evaluate -2^2 and $(-2)^2$ and explain why they are different?

11.) Evaluate

a. 4^2

b. -3^3

c. $(-3)^3$

d. 2^6

12.) How do you “undo” a variable squared?

For questions 13-18, evaluate the expression

13) $3(n - 1) + 2n$, when $n = 5$

14) $7b - 2a$, when $a = -3$ and $b = 4$

15) $3x^2 + 5x + 1$, when $x = -2$

16) $\frac{2r}{t} + 7$, when $r = 12$ and $t = 3$

17) $(3x)^2 - 7y^2$, when $x = 3$ and $y = 2$

18) $4(3d + 6) - 2d$, when $d = -6$

Write an algebraic expression or equation to represent each verbal expression.

Example: 18 less than the quotient of a number and 3. $\rightarrow \frac{n}{3} - 18$

19) The sum of six times a number and 25

20) 7 less than fifteen times a number

21) Four times the square of a number increased by five times the same number

22) The sum of a number and 23 is 78.







23) If a number is decreased by 6, and the result is multiplied by 3, then the answer is 15.
Find the unknown number.

Identifying Figures

Hints/Guide:

Remember that shapes are often named by the number of sides that the figure has

Exercises: Identify each figure by name



Pythagorean Theorem

Hints/Guide:


The Pythagorean Theorem:

$$a^2 + b^2 = c^2 \quad c \text{ is the longest side (opposite the right angle)}$$

a and b are the other sides

**Pythagorean Theorem can only be used on right triangles

Example: Determine the length of the missing side of the triangle.









17 is opposite the right angle, so it is c

$$\begin{aligned} a^2 + b^2 &= c^2 \\ a^2 + 8^2 &= 17^2 \\ a^2 + 64 &= 289 \\ a^2 &= 225 \\ a &= 15 \end{aligned}$$

Pythagorean Theorem
Substitute b and c
Square both numbers
Subtract 64
Square root both sides

Exercise: Use the Pythagorean Theorem to determine the missing side. Write your answer as a simplified radical or as a decimal.



Proportions

Definition: $\frac{a}{b} = \frac{c}{d}$ if and only if $ad = bc$

Examples:

$$1) \frac{3}{2} = \frac{y}{22}$$

$$3(22) = 2y$$

$$66 = 2y$$

$$33 = y$$

$$2) \frac{x+4}{5} = \frac{x-2}{3}$$

$$3(x+4) = 5(x-2)$$

$$3x+12 = 5x-10$$

$$22 = 2x$$

$$11 = x$$

Solve the following proportions using the format used in the examples.

$$1) \frac{7}{2} = \frac{y}{3}$$

$$2) \frac{7}{3} = \frac{21}{x}$$

$$3) \frac{25}{15} = \frac{10}{x}$$

$$2) \frac{10}{6x+7} = \frac{6}{2x+9}$$

$$3) \frac{4}{x-3} = \frac{6}{x+3}$$


$$6) \frac{3x-5}{2} = \frac{x-15}{4}$$

$$7) \frac{2-4x}{-6} = \frac{6x-8}{10}$$

Area and Perimeter of Polygons

Area is the number of square units in a flat region. The formulas to calculate the area of several kinds of polygons are:

RECTANGLE




$$A = bh$$

PARALLELOGRAM




$$A = bh$$

TRAPEZOID



$$A = \frac{1}{2}(b_1 + b_2)h$$

TRIANGLE




$$A = \frac{1}{2}bh$$

Perimeter is the distance around a figure on a flat surface. To calculate the perimeter of a polygon, add together the length of each side.

Example 1:

Compute the area and perimeter.




parallelogram

$$A = bh = 6 \cdot 4 = 24 \text{ feet}^2$$

$$P = 6 + 6 + 5 + 5 = 22 \text{ feet}$$

Example 2:

Compute the area and perimeter.




triangle

$$A = \frac{1}{2}bh = 6 \cdot 7 = 21 \text{ feet}^2$$


$$P = 6 + 8 + 9 = 23 \text{ feet}$$

Find the Area and Perimeter for each figure:


1.




2.




3.




4.



5.




6.



Circumference and Area of Circles

$$C = \pi \cdot d$$



The **circumference** (C) of a circle is its perimeter, that is, the “distance around” the circle.

The number π (read “pi”) is the ratio of the circumference of a circle to its diameter. That is


$\pi = \frac{\text{circumference}}{\text{diameter}}$. This definition is also used as a way of computing the circumference of a circle if you know the diameter as in the formula $C = \pi d$ where C is the circumference and d is the diameter. Since the diameter is twice the radius (that is, $d = 2r$) the formula for the circumference of a circle using its radius is $C = \pi(2r)$ or $C = 2\pi \cdot r$.

The first few digits of π are 3.141592.


To find the **area** (A) of a circle when given its radius (r), square the radius and multiply by π . This formula can be written as $A = r^2 \cdot \pi$. Another way the area formula is often written is $A = \pi r^2$.

Use a calculator to find the Circumference and Area of each circle. Round to the nearest tenth.


1.



2.



3.



4.

